



# SAFETY DATA SHEET

## SECTION I - PRODUCT AND COMPANY IDENTIFICATION

**Product:** Conolite Aircraft Cargo Liner

**Synonyms:** A10RG5W, A13RG2W, A20RG5W, A23SG4W, A30SG4W, A31RG4W, A35SG4W, A45SG4W, A50SG4W, A59RG8W, A60SG4W, A70SG4W, A90RG1W, A90RG1Z A3000.030-64, C1000T.016, C1000T.023, C1000T.030, C1000T.045, C1000T.060, C1000T.070, C1000.016, C1000.023, C1000.030, C1000.045, C1000.060, C1000.070, FE1000.020, FE1000.030, FE1000.045, FE1000.060, FE1000.016, FE1000.070

**Recommended Use:** Used for aircraft applications

**Manufacturer Information:** Panoram Industries International Inc.  
325 DeSoto Ave.  
Morristown, TN 37813  
(423) 587-1842

**Emergency Contact (24 hours):** CHEMTREC 1-800-424-9300

## SECTION II – HAZARD IDENTIFICATION

**GHS Classification:** Not applicable – Non-hazardous

**GHS Signal Word** Not applicable – Non-hazardous

**GHS Pictograms** Not applicable – Non-hazardous

**Hazard Statement** Not applicable – Non-hazardous

**Precautionary Statement** May form combustible dust concentrations in air if small particles are generated during further processing, handling or by other means.

## SECTION III – COMPOSITION INFORMATION

Conolite Aircraft Cargo Liner panels are solid sheets which are composed of fiberglass, inorganic fillers, pigments and other additives that are embedded in a cured unsaturated polyester resin. These panels are considered as “articles” as defined in the OSHA Hazard Communication standard in 29 CFR 1910.1200 (c) and are not considered hazardous under normal use.

<u>Component</u>	<u>CAS#</u>	<u>Weight %</u>
Polymerized polyester resin	Proprietary	50-60%
Glass Oxide	65997-17-3	40-50%
Antimony Oxide	111-46-6	2% max

## SECTION IV – FIRST AID MEASURES

- Inhalation:** Material does not vaporize. If exposed to dust remove to fresh air. Get medical attention if irritation persists, or if severe coughing or breathing difficulty occurs.
- Eye Contact:** Flush eyes with large amounts of water. Remove to fresh air. Get medical attention if irritation persists.
- Skin Contact:** Wash affected areas with soap and water. Get medical attention if rash or irritation persists or dermatitis occurs.
- Ingestion:** Rinse mouth with water. Get medical attention if irritation persists.
- Recommendations for Immediate Medical Care/Special Treatment:** None known.

## SECTION V – FIREFIGHTING MEASURES

- Extinguishing media:** Water Fog, Carbon Dioxide, Dry Chemical, Chemical Foam.
- Special Hazards:** May form combustible dust concentrations in air if small particles are generated during further processing, handling or by other means.
- Recommendations on Protective Equipment:** Laminates exposed to fire may liberate oxides of nitrogen and carbon and halogenated compounds. Firefighters should use appropriate personal protective equipment including self-contained breathing apparatus.

## SECTION VI – ACCIDENTAL RELEASE MEASURES

- Personal Precautions/Emergency Procedures:** No special precautions required.
- Environmental Precautions:** No special precautions required.
- Clean-up Procedures:** No special procedures required.

## SECTION VII – HANDLING AND STORAGE

- Precautions to be taken in handling and storing:** Store flat if possible. Avoid excessive heat or humidity.
- Incompatibility (Materials to Avoid):** None Known

## SECTION VIII – EXPOSURE CONTROL /PERSONAL PROTECTION

<b>OSHA Permissible Exposure Limits:</b>	Particulate	TWA: 15.0 mg/m <sup>3</sup> (total dust) TWA: 5.0 mg/m <sup>3</sup> (respirable fraction)
	Antimony Oxide	TWA: 0.5 mg/m <sup>3</sup>
<b>Ventilation controls:</b>	When dust is created use local ventilation where required to maintain airborne levels below OSHA PELs	
<b>Hand protection:</b>	Gloves may be worn to prevent contact with rough laminate edges.	
<b>Eye protection:</b>	Safety glasses or goggles are recommended when machining this material.	
<b>Respiratory protection:</b>	None should be required during normal operations. When dust is generated a NIOSH approved respirator may be used when exposure levels to dust are thought to be above regulated values.	
<b>Body protection:</b>	No special precautions are required. If exposed to dust wash with soap and water to remove any material from the skin.	
<b>Foot protection:</b>	Safety shoes.	
<b>General Hygiene/Safety Measures:</b>	Wear protective clothing as necessary to prevent contact. Wash soiled clothing immediately.	

## SECTION IX - PHYSICAL DATA

<b>Appearance:</b>	Rigid, solid sheet. Various surface colors/textures.
<b>Odor:</b>	Odorless
<b>Odor Threshold:</b>	Not applicable
<b>pH:</b>	Not applicable
<b>Melting Point:</b>	Not applicable
<b>Boiling point:</b>	Not applicable
<b>Flash Point:</b>	Not applicable
<b>Flammability:</b>	Not applicable
<b>Lower Explosion Limit:</b>	Not available
<b>Upper Explosion Limit:</b>	Not available
<b>Autoignition:</b>	>450° F
<b>Decomposition Temperature:</b>	Not available
<b>Vapor pressure:</b>	Not applicable
<b>Specific gravity:</b>	>1
<b>Vapor density:</b>	Not applicable
<b>Partition Coefficient n-octanol/water:</b>	Not applicable
<b>Viscosity:</b>	Not applicable
<b>Solubility in water (% by weight):</b>	Insoluble
<b>Evaporation rate (Butyl acetate = 1):</b>	Not applicable

## SECTION X – STABILITY AND REACTIVITY

<b>Reactivity:</b>	Stable under normal conditions of storage and use.
<b>Chemical Stability:</b>	Stable under normal conditions of storage and use.
<b>Possibility of Hazardous Reactions:</b>	None Known.
<b>Conditions to Avoid:</b>	Exposure to moisture. Storage at low or high temperatures.
<b>Incompatibility (Materials to Avoid):</b>	None Known.
<b>Hazardous decomposition products:</b>	Laminates exposed to fire may liberate oxides of nitrogen and carbon and halogenated compounds.

## SECTION XI- TOXICOLOGICAL PROPERTIES

<b>Route of Entry:</b>	Skin contact <input checked="" type="checkbox"/>	Skin absorption <input type="checkbox"/>	Eye contact <input checked="" type="checkbox"/>
	Inhalation <input checked="" type="checkbox"/>	Ingestion <input type="checkbox"/>	<input checked="" type="checkbox"/>

### EFFECTS OF ACUTE EXPOSURE:

<b>Inhalation:</b>	Not considered a problem under normal use. Dust generated during machining can cause short-term irritation of the mouth, nose, throat or upper respiratory tract.
<b>Eye Contact:</b>	Not considered a problem under normal use. Contact with dust generated during machining can cause short-term irritation.
<b>Skin Contact:</b>	Not considered a problem under normal use. Contact with dust generated during machining can cause skin irritation.
<b>Skin Absorption:</b>	Not likely to occur
<b>Ingestion:</b>	Not considered a problem under normal use.

<b>Toxicity:</b>	LD <sub>50</sub> : Not available LC <sub>50</sub> : Not available
<b>Irritancy:</b>	Not available
<b>Sensitization:</b>	Not available
<b>Carcinogenicity:</b>	Not available
<b>Reproductive toxicity:</b>	Not available
<b>Teratogenicity:</b>	Not available
<b>Mutagenicity:</b>	Not available
<b>Toxicologically synergistic products:</b>	Not available

**Symptoms of Exposure:** No significant reaction to the product is expected.

## SECTION XII – ECOLOGICAL INFO

<b>Toxicity:</b>	No information available.
<b>Biodegradation and Elimination:</b>	Not readily biodegradable.
<b>Bioaccumulation Potential:</b>	No information available.
<b>Mobility:</b>	No information available.
<b>Additional Information:</b>	No additional information available.

## SECTION XIII – DISPOSAL CONSIDERATIONS

<b>Waste disposal method:</b>	This product is not considered a hazardous waste under EPA Hazardous Waste Regulations 40 CFR Part 261, however, State and local requirements for waste disposal may differ and should be reviewed. Can be landfilled or incinerated in accordance with local, provincial, state, federal regulations. Do not discharge substance/product into sewer system.
<b>Container disposal</b>	Dispose of in accordance with local, provincial, state, federal regulations.

## SECTION XIV – TRANSPORT INFORMATION

<b>PIN Number</b>	Not applicable.
<b>TDG Shipping Name</b>	Not applicable.
<b>TDG Hazard Class</b>	Not applicable.
<b>DOT Class</b>	Not regulated.
<b>IATA</b>	Not regulated.
<b>IMDG</b>	Not regulated.

It is the responsibility of the transporting organization to follow all applicable laws, regulations, and rules relating to the transportation of the material.

## SECTION XV – REGULATORY INFORMATION

<b>NFPA Rating:</b>	Health: 1	Flammability: 0	Reactivity: 0
<b>HMIS Rating:</b>	Health: 1	Flammability: 0	Reactivity: 0

**OSHA (29CFR 1910.1200):** See Section II of MSDS.

**TSCA:** All components are listed on the TSCA Inventory.

**CERCLA RQ:** This product contains the following chemical(s) which have reportable quantities:  
  
None

**SARA 311/312:** Immediate (Acute) Health Hazard: No  
Delayed (Chronic) Health Hazard: No  
Fire Hazard: No  
Reactive Hazard: No  
Sudden Release of Pressure Hazard: No

**SARA 313:** This product does not contain chemical(s) in concentrations which should require reporting under SARA 313.

**California Prop 65:** Warning: These products contain antimony oxide, a substance known to the State of California to cause cancer.

---

## **SECTION XVI – OTHER INFORMATION**

**Revision Date:** 5/26/15

### **DISCLAIMER:**

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the product in compliance with applicable federal, state, provincial and local laws and regulations. Panolam Industries makes no warranty of any kind, express or implied, concerning the accuracy or completeness of the information and data herein. The implied warranties of merchantability and fitness for a particular purpose are specifically excluded. Panolam Industries will not be liable for claims relating to any party's use of or reliance on information and data contained herein regardless of whether it is claimed that the information and data are inaccurate, incomplete or otherwise misleading.