



nevamar®

PRODUCT AVAILABILITY GUIDE

September 2023

877.726.6526
Nevamar.com

Table of Contents

How to Order	2
Finish Options.	3
Size Availability for Finishes.	4
Standard HPL.	5
ThruColor™ HPL	7
FRL® Wall Protection Panels.	7
ThickLam™	7
ChemGuard	8
Electro Static Dissipative (ESD).	9
Fire Rated.	9
Marker Board	9
Hi-Wear Overlay	10
Cross Grain	10
Inspira™ Custom Digital	10
Flawless Collection	11
Cabinet Liners	11
Backers	11

To assist us in the processing of your orders, please follow these guidelines.

Important Information:

How to Specify:

Color / Pattern Name / Description _____

Grade / Thickness _____

Finish Code / Name _____


Size _____

To place a sample order:

Call: **877-726-6526**
 Email: **hpl_samples@panolam.com**

How to Order:

NF39 AE0500 SD 480 0



First 3 digits: Product Code that indicates product type and grade

Next 5 digits: Color/pattern number

Next 2 digits: Finish Code

Next 3 digits: Size Code (See chart)

Last digit: Peelcoat identifier
 < Blank> – no peelcoat
 1 – peelcoat 1 side
 2 – peelcoat 2 side (Used with good 2 sides ThickLam™)

Size Code	Width	Length
080	2.5' X	8.0'
000	2.5' X	10.0'
020	2.5' X	12.0'
380	3.0' X	8.0'
300	3.0' X	10.0'
320	3.0' X	12.0'
480	4.0' X	8.0'
400	4.0' X	10.0'
420	4.0' X	12.0'
580	5.0' X	8.0'
500	5.0' X	10.0'
520	5.0' X	12.0'

Nevamar Finish Options

The finishes below are available for most Nevamar laminate types, including Standard HPL, ThruColor™ HPL, ThickLam™, and others. Not all finishes are available for use with every pattern, type, or grade. Contact your representative.

Finish	Finish Code	Description	Finish Type	Pricing
ARP (Nevamar Only)	T-	Armored Protective surface. Fine graining. Softens wood grains, patterns and solids.	Standard	-
TEXTURED/SUEDE	SD	Low gloss, textured finish. Softens wood grains, patterns and solids with a fine graining.	Standard	-
VELVET	VE	A smooth, finely grained furniture finish.	Standard	-
SUPER MATTE	SM	Smooth, non-reflective finish.	Premium	Upcharge
POLISHED VELVET	PV	A semi-gloss minutely grained finish.	Premium	Upcharge
MEDIUM GLOSS	MG	Medium gloss, smooth finish.	Premium	Upcharge
GLOSS	GL	High gloss, smooth finish.	Premium	Upcharge
FINELINE	FL	Deep, fine grained linear textured finish.	Premium	Upcharge
TIMBERLINE	TL	Wide grained, linear texture.	Premium	Upcharge
BARNBOARD	BB	Linear plank, matte woodgrain.	Premium	Upcharge
AGED BARK	AB	Medium grain, weathered woodgrain.	Premium	Upcharge
WOOD ESSENCE	WE	Natural-appearing, linear woodgrain finish.	Premium	Upcharge
LINEZ	LZ	Deeply embossed, linear woodgrain finish.	Premium	Upcharge
ASHWOOD	AW	Fine wood finish with a cathedral grain. Embossed woodgrain finish.	Premium	Upcharge
GROOVY	GV	Abstract pattern than appears to create motion.	Premium	Upcharge
SOFT LEATHER	LR	Finely grained leather finish.	Premium	Upcharge
GRANITE	GR	Polished stone texture finish.	Premium	Upcharge
CRYSTAL	CR	Fine pebble grained finish, with a medium gloss/subtle dimensional with high light reflectivity.	Premium	Upcharge
SLATE	SL	Deeply embossed slate finish.	Premium	Upcharge
EVOLUTION	EV	Smooth surface enhanced by contrasting matte and gloss organic texture	Premium	Upcharge
NATURAL STONE	NS	Matte surface accentuates the indentations offering a time-worn look	Premium	Upcharge
HEX	HX	Geometric repeating pattern, low gloss.	Premium	Upcharge
METALZ	MZ	Metal look as the name implies, a high gloss metal finish	Premium	Upcharge
NATURAL WOOD	NW	Real wood texture. Low gloss.	Premium	Upcharge
TACTILE WEAVE	TW	A modern woven fabric in look and feel, low gloss	Premium	Upcharge
AEGIS SECURE	AS	Anti-microbial properties, low gloss, textured finish	Premium	Upcharge

Size Availability Chart for Finishes

Some finishes have limitations in the sizes available. While the panels can be cut down to smaller sizes, the customer may be billed for the full panel size. See chart below for the billable s.f. for each size and finish. ✓ = Size is Available.

Finish Code	Finish Description	30 x 96	30 x 120	30 x 144	36 x 84	36 x 96	36 x 120	36 x 144	48 x 84	48 x 96	48 x 120	48 x 144	60 x 96	60 x 120	60 x 144
SD	Textured/Suede	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
T-	ARP	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
VE	Velvet	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SM	Super Matte	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PV	Polished Velvet	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MG	Medium Gloss	✓	✓	✓	✓	✓	50	60	✓	✓	50	60	✓	✓	✓
GL	Gloss	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
FL	Fineline	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
TL	Timberline	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BB	Barnboard	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
AB	Aged Bark	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WE	Wood Essence	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
LZ	LineZ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
AW	Ashwood	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
GV	Groovy	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
LR	Soft Leather	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
GR	Granite	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CR	Crystal	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SL*	Slate	30	30	✓	✓	✓	60	60	✓	✓	✓	60	60	60	✓
EV	Evolution	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
NS	Natural Stone	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
HX	Hex	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MZ	Metalz	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
NW	Natural Wood	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
TW	Tectile Weave	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
AS	Aegis Secure	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Slate (SL) not available in Vertical Grade

No Additional Square Feet Billed
Must Order Quantity of 2 (Cut from 60 inch sheets)
Customer Will Be Billed For Square Feet Listed - Not ordered
Must Order Quantity of 2 (each billed for ft ² listed)

Nevamar Cutting Policy:

- Nevamar will cut a minimum of 1 sheet up to a maximum 10 sheets of larger sized panels to create non-stocked sizes to complete an order.
- For orders over 10 sheets of non-stocked sizes, Panolam reserves the right to submit the order for production.
- Unless otherwise noted in the chart above, there is no additional charge for cuts (some exceptions apply).
- Unless otherwise noted for certain styles, products ordered in 30" widths will be cut from 60" sheets and must be ordered in increments of 2.

Nevamar Product Codes and Grades

Standard HPL

CODE	THICKNESS	DESCRIPTION	MINIMUMS
NF28	.028"	Vertical Postforming	Wallboard colors/standard finish no minimums; non-standard finish 5 sheet minimum
NF39	.039"	Horizontal Postforming	Wallboard colors/standard finish no minimums; non-standard finish 5 sheet minimum
NG48	.048"	General Purpose/Standard Grade	5 sheet minimum

See Nevamar Stock List for grades and sizes inventoried at Nevamar Distribution Centers.

ABSTRACTS

AB2400	Aqua Mini Raffia	T-	MH8001	Manhattan Gleam	T-	WZ3001	Xanadu Blue Bamboo	T-
AB4440	Turquoise Kinetic	T-	MR2002	Greige Matrix	T-	WZ5001	Extreme Green Bamboo	T-
AE0500	Stepping Stone	SD	MR2003	Neutra Matrix	T-	YSN001	Tea Stain Spun Yarn	T-
AG1000	Gray Kinetic	T-	MR2006	Straw Matrix	T-	YSN002	Pure Spun Yarn	T-
AG1900	Urban Life	T-	MR3003	French Blue Matrix	T-	SOLIDS		
AG6300	Silver Wings	SD	MR3008	Navy Matrix II	T-	S-1015	Burgundy	T-
AG8000	Silver Dollar	LZ, SD	MR5007	Green Matrix II	T-	S-1027	Liberty Red	T, LZ
AL2002	Golden Allusion	T-	MR6001	Gray Matrix	T-	S-1049	Carmen Red	T-
AL2004	Café Allusion	T-	MR6002	Charcoal Matrix	T-	S-2019	Beige	T-
AL5002	Botanical Allusion	T-	MR6004	Storm Gray Matrix	T-	S-2037	Almond	T-
ALB001	Tropical Allusion	T-	MR6005	Winter Gray Matrix	T-	S-2063	Natural Beige	T-
ALN002	Decadent Allusion	T-	MR6007	Phantom Gray Matrix	T-	S-2069	Bethany Beige	T-
ALT005	Wall Street Allusion	T-	MR6008	Birch Matrix	T-	S-2084	Foundry	T-
AM6001	Aluminite	T-	MR7001	Studio White Matrix	T-	S-2086	Jute	T-
AO3200	Tangerine Mini Raffia	T-	MR7002	Wild Oats Matrix	T-	S-2093	Sandcastle	T-
AR2830	Pink Lemonade Kinetic	T-	MW5800	Calcutta Marble	SD	S-2110	Basic	T-
AT5100	Blissful Path II	T-	MXT002	Stainless Metalx	T-	S-2115	Cocoa Bean	T-, GV
AT7500	Penny Lane	SD, TL	MXT003	Silver Alu Metalx	T-	S-3016	Regimental Blue	T-
AT7700	Harmony Glow	T-	PH7001	White Phantasy	T-	S-3022	Deep Blue	T-
AV2100	Urban Garden	T-	PO7001	Paris White Potteryware	T-	S-3023	Graphite Blue	T-
AV4000	Harmony Mint	T-	PR2002	Papier Au Lait	T-	S-3048	Patriot Blue	T-
AW1800	White Kinetic	T-	RK6003	Verdict's In	T-	S-3055	Violine	T-
AY1500	Gold Mini Raffia	T-	RK7002	Veto Proof	T-	S-3068	Sunken Treasure	T-
AY1300	Golden Years	SD	S-2085	English Lace	T-	S-3070	Caribbean Blue	T-
EM6001	Aged Elements	T-	TM2001	Ochre Tempura	T-	S-4022	Sunray	T-
ES2001	Ivory Essence	T-	TQ6001	Gray Tranquility	T-	S-4025	Honey Plantain	T-
ES2003	Sienna Essence	T-	VA2001	Visible Vava	T-	S-5052	Woodvine	T-
ES6002	Charcoal Essence	T-	VA2002	Vision Vava	T-	S-5057	Kool Kiwi	T-
ES7001	White Essence	T-	VA5001	Serene Stardom	T-	S-5059	Aqua Lagoon	T-
FN1002	Copper Fusion 2	T-	VA5002	Easy Elegance	T-	S-6001	Black	T-
FN6001	Charcoal Fusion	T-	VA6001	Calm Distinction	T-	S-6003	Dove Gray	T-
FS2001	Canyon Fissure	T-	VA7002	Cool Chic	T-	S-6012	Neutral Gray	T-
FZ2001	Lino Frieze	T-	VE6001	Veta Shadows	T-	S-6014	Black Pearl	T-
HLB001	Blue Shimmer Hautelink	T-	VS2001	Vous Fawn	T-	S-6020	Gunmetal	T-
HLT001	Basic Black Hautelink	T-	VS5002	Vous Serene	T-	S-6023	Platinum Gray	T-, GV
HLT004	Silverline Hautelink	T-	VS6001	Vous Metal	T-	S-6024	Cordial Gray	T-
KH2001	Marrakesh Express	T-	VU6001	Adaptable Muse	T-	S-6027	Maritime Gray	T-
LD6001	Black Lodestone	T-	WZ0049	Crema	T-, TL	S-6031	Fossil Gray	T-
LN6001	Frappe	T-	WZ0056	Eiskaffe	T-	S-6033	Raven	T-
LN6002	Kopi Susu	T-	WZ0057	Calypso	T-	S-6037	Studio Gray	T-
MH4001	Manhattan Glitz	T-	WZ0062	Dragonfly	T-	S-6047	Sandpiper	T-
MH6001	Manhattan Glamour	T-	WZ0063	Yunnan	T-	S-6052	String	T-
			WZ0080	Zebrano White	TL	S-6053	Jett Black	T-, GL, GV, SM

S-6054	Wrought Iron	T-	WC2001	Caluna Cherry	T-	WW4400	Untold Journey	VE
S-7004	Solid White	T-	WC5581	Blossom Cherry	MG	WW7800	Babbling Brook	T-
S-7005	Antique White	T-	WD0001	Kentucky Kraftwood	T-	WW9000	Sunbeam	WE
S-7024	Chalk White	T-, BB, GV	WE2700	Meditation Elm	T-	WW9600	Mid-Mod Walnut	T-
S-7025	Neutra	T-	WF0001	Edenwood	T-	WX0075	Galao	AB
S-7027	Smoky White	T-	WF0002	Washington Apple	SD	WX1150	Giant Gray Bamboo	PV
S-7032	Bone White	T-	WF0011	Macchiato	T-, AB	WX4600	Whispering Wind	VE
S-7036	Precision White	T-	WH0050	Rugged Trail	PV	WX8500	Roaring Wind	VE
S-7040	Spa White	T-	WH1000	Glistening Trail	WE	WY2000	Miesian	T-
S-8001	Fresh Papaya	T-	WK0017	Venerable Old Oak	T-, BB	WZ0001	Shibui Woodprint	T-
S-8002	Spicy Flavors	T-	WK0022	Antoccino	T-	WZ0002	Mikado Woodprint	T-
S-8003	Summer Night Glow	T-	WK0023	Marocchino	PV	WZ0003	Tawny Satinwood	T-
SB0300	Fiji	T-, FL	WK0024	Palazzo	T-	WZ0005	Recon Oak	MG
SG0004	Garden Mist	T-	WK0025	Chai	T-	WZ0017	Galloway Burl	T-
SO3300	Café Sienna	T-	WK0027	Bailey	T-, FL	WZ0018	Natural Bamboo	T-
SP4170	Tyrian Purple	T-	WM0005	Siren Maple	T-	WZ0028	Kona Blend	PV
SR5100	Blushing Pink	T-	WM0046	Illustrious Maple	T-	WZ0045	Validate We Do	T-
SR5240	Passionfruit	T-, FL	WM0047	Iconic Maple	T-, AB	WZ0049	Crema	T-, TL
SV7300	Pear Green	T-	WM2640	Planetree Maple	T-	WZ0052	Mazagran	T-
SV7410	Limeade	T-, FL	WM5528	Vermont Maple	SD	WZ0053	Zulu	T-
SY9250	Marigold Fields	T-	WM5577	Scandia Maple	SD	WZ0054	Breve	T-
VS2002	Vanilla Bean	T-	WM8164	Rustic Quartered Oak	T-	WZ0055	Carajillo	T-
STONES			WM8258	Beige Renaissance	T-	WZ0056	Eiskaffe	T-
GR2004	Woodstock Granite	T-	WM8340	Clear Maple	T-	WZ0057	Calypso	T-
GR4001	Madura Gold Granite	T-	WM8342	Amber Pearwood	T-	WZ0062	Dragonfly	T-
LU3001	Blue Lunaria	T-	WM8349	Champagne Sagawood	T-	WZ0063	Yunnan	T-
LU6001	Lunaria Shadow	T-	WM8350	Carmel Sagawood	T-	WZ0080	Zebrano White	TL
RK2001	Classic Rock	T-	WO0040	Straightaway Oak	T-	WZ2001	Santa Rosa Plum	T-
SL2001	Pumice Pietra	T-	WO1400	Bohemian Edge	WE	WZ2004	Kendo	T-
SL6003	Rare Earth Slate	T-	WO7100	Simplicity	WE	WZ2007	Tendu	PV
WOODGRAINS			WP3000	Weathered Storm	AB	WZ2009	Cutting Edge	T-
W-8294	Crown Cherry	T-	WS9450	Royal Mahogany	MG	WZ3001	Xanadu Blue Bamboo	T-
W-8325	Sovereign Cherry	T-	WT0003	Valencia Teak	PV	WZ5001	Extreme Green Bamboo	T-
W-8343	Crest Mahogany	PV	WT0004	Legendary Teak	T-	WZ6001	Dry Creek Plum	T-
W-8351	Fine Sycamore	T-	WT0005	Luminary Teak	T-	WZ6004	Modern Edge	T-
W-8352	Regency Mahogany	VE	WU0010	Outer Limits	WE			
W-8369	Topaz Khayawood	T-	WU0030	Kindred Spirit	WE			
W-8371	Grand Isle Maple	T-	WU0060	Brave Spirit	T-			
WA0001	Golden Anigre	SD	WW0013	Vantage Point Walnut	MG			
WA0002	Tangier Anigre	SD	WW0900	Endless Journey	VE			
WA3000	Tranquility	VE	WW3100	Stout Walnut	T-			

Specialty Product Types

ThruColor™ HPL

ThruColor HPL offers seamless color along the routed edges of case goods, retail fixtures, and furniture. This product can only be made in Class III and Class C fire rated applications. **This product cannot be postformed.**

CODE	THICKNESS	DESCRIPTION	MINIMUMS
NM01/NM02	.028"	.028" ThruColor HPL (Not available in SL Finish)	5 sheet minimum unless in stock
NM39/NM40	.039"	.039" ThruColor HPL	No min. for stocked items. All others 5 sheet min. unless in stock
NM55/NM56	.050"	.050" ThruColor HPL	5 sheet minimum

Stocked Size: 48" width x 120" Length. Other sizes on a made-to-order basis.

Finish Options: All finish options for Standard Nevamar HPL are available. Upcharges may apply.

Pattern Availability: Most of Nevamar's patterns or colors can be ordered as ThruColor HPL on a made-to-order basis. Minimums and upcharges may apply. **Sample evaluation is required.**

The following ThruColor™ HPL colors are stocked at various Nevamar distribution centers. Stocking levels may vary by product.

CS7024	Chalk White	SD	S-2093	Sandcastle	GL
S-7024	Chalk White	GL	MW5800	Calcutta Marble	SD
S-7024	Chalk White	GL	S-1049	Carmen Red	GL
S-7027	Smoky White	SD	S-6012	Neutral Gray	SD
S-7027	Smoky White	GL			

Black ThruColor HPL – Nevamar uses black core paper for standard black HPL offerings. Therefore, standard HPL can be used in lieu of ThruColor HPL when a black surface is specified. See your Nevamar representative for further details.

FRL® Wall Protection Panels

FRL Wall Protection Panels are the ideal wall surfacing solution for high traffic environments that need to be aesthetically pleasing and stay looking sharp. A proprietary product from Panolam® Surface Systems, this Class A, solid construction with fiberglass reinforcement gives FRL panels their unique qualities, these include: ease of application, job-site workability, long-lasting style and durability year-after-year. FRL panels are high-impact and chemical resistant, easy to clean and come in a wide range of colors and finishes.

CODE	THICKNESS	DESCRIPTION	MINIMUMS
X62	.062"	.062" sanded back	5 sheet minimum including digital. Cross Grain 25 sheet minimum
X75	.075"	.075"	5 sheet minimum including digital. Cross Grain 25 sheet minimum
XM8	.075"	IMO Certified	5 sheet minimum including digital. Cross Grain 25 sheet minimum

Size Options: 36", 48", 60" widths x 96", 120" lengths. Other sizes are available on a project by project basis.

Finish Options: Suede (SD) and Natural Wood (NW)

Lead Time: 10 days from factory. Cross Grain or Digital, 20 days from factory.

Pattern Availability: Available in most solid colors, patterns, woodgrains, custom digital, and screen print on a made-to-order basis.

Due to its unique composition, FRL Wall Protection Panels will vary in color and pattern clarity from standard corresponding products. Samples may be required, please contact your local Panolam representative for more information or to obtain a sample.

ThickLam™

Thick phenolic is designed for applications where the decorative surface must contribute to the structural stability of the finished assembly.

CODE	THICKNESS	DESCRIPTION	MINIMUMS
ND20	.125"	.125" double faced thick phenolic	5 sheet minimum unless in stock
ND21	.125"	.125" double faced thick phenolic black core	5 sheet minimum unless in stock
ND44	.250"	.250" double faced thick phenolic	5 sheet minimum unless in stock
ND45	.250"	.250" double faced thick phenolic black core	5 sheet minimum unless in stock
ND56	.500"	.500" double faced thick phenolic	2 sheet minimum unless in stock
ND57	.500"	.500" double faced thick phenolic black core	2 sheet minimum unless in stock
ND68	.750"	.750" double faced thick phenolic	1 sheet minimum unless in stock
ND69	.750"	.750" double faced thick phenolic black core	1 sheet minimum unless in stock
ND74	1.00"	1.00" double faced thick phenolic	1 sheet minimum
ND75	1.00"	1.00" double faced thick phenolic black core	1 sheet minimum

Size Options: 36", 48", 60" widths x 96", 120", 144" lengths. Other sizes on a made-to-order basis.

Finish Options: Suede (SD) and Natural Wood (NW)

Pattern Availability: Available in all solid colors, patterns, and woodgrains on a made-to-order basis.

For specialty ThickLam products, please refer to the product section. i.e. ChemGuard and ESD.

ChemGuard

ChemGuard has been tested and proven to have superior chemical resistance and significantly higher NEMA wear value than competitive laminates. It provides resistance to acids/bases, solvents, stains, indicators and general reagents. **This product cannot be postformed.**

CODE	THICKNESS	DESCRIPTION	MINIMUMS
NH28	.027"	.027" chemical resistant	5 sheet minimum unless in stock
NH39	.039"	.039" chemical resistant	5 sheet minimum unless in stock
NH48	.048"	.048" chemical resistant	5 sheet minimum unless in stock
NHD8	.750"	.750" chemical resistant	1 sheet minimum unless in stock
NHD9	1.00"	1.00" chemical resistant	1 sheet minimum
NHDI	1.00"	1.00" chemical resistant black core	1 sheet minimum

Size Options: 36", 48", 60" widths x 96", 120", 144" lengths. Other sizes on a made-to-order basis.

Finish Options: Suede (SD), Crystal (CR)

Pattern Availability: ChemGuard is available in solid colors, patterns, and woodgrains on a made-to-order basis.

The following patterns are NOT offered in ChemGuard:

PATTERN	PATTERN NAME	PATTERN	PATTERN NAME	PATTERN	PATTERN NAME
AM6001	Aluminite	MXT002	Stainless MetalX	W-8323	Gentry Oak
FN1002	Copper Fusion.2	S-1015	Burgundy	W-8343	Crest Mahogany
FN6001	Charcoal Fusion	S-1025	Sangaree	W-8348	Cognac Birdseye
GC7001	Glacier	S-1027	Liberty Red	W-8352	Regency Mahogany
GC7002	Glacier II	S-1049	Carmen Red	WC5581	Blossom Cherry
HLG002	Amber Green HauteLink	S-3022	Deep Blue	WS9450	Royal Mahogany
HLT001	Basic Black HauteLink	S-3055	Violine	WW0013	Vantage Point Walnut
HLT004	Silverline HauteLink	S-6014	Black Pearl	WZ0001	Shibui Woodprint
ME8001	Copper MetalX	SL6002	Hybrid Slate	WZ0002	Mikado Woodprint
MH4001	Manhattan Glitz	VR6001	Black Vortex	WZ0003	Tawny Satinwood
MH6001	Manhattan Glamour	VS2003	Varnish	WZ0028	Kona Blend
MH8001	Manhattan Gleam	VS8001	Vibrant	WZ0056	Eiskaffe
MKB001	Blue Moonrock	W-8294	Crown Cherry	WZ0057	Calypso
MKT001	Golden Iron Moonrock				

Electro Static Dissipative (ESD)

ESD is an electrostatic dissipative laminate designed for work surfaces in the manufacture and assembly of static-sensitive electronic components. ESD offers the user a static safe work surface with the performance of a high pressure decorative laminate.

CODE	THICKNESS	DESCRIPTION	MINIMUMS
NA28	.028"	.028" ESD post formable	5 sheet minimum unless in stock
NA38	.035"	.035" ESD post formable	5 sheet minimum unless in stock
NAD7	.118"	.118" table mat	5 sheet minimum unless in stock

Size Options: 36", 48", 60" widths x 96", 120", 144" lengths. Other sizes on a made-to-order basis.

Finish Options: Suede ESD (LS)

Pattern Availability: ESD panels are available in solid colors only. Color may shift from chip, sample recommended.

Fire Rated

Fire Rated laminate is designed for interior horizontal and vertical applications where a decorative surface must resist combustion and inhibit smoke production. These laminates are classified in the U.S. and Canada by Underwriters Laboratories, Inc. under file F4642 and has the U.S. Coast Guard approval for Marine Applications for Interior Finishes.

CODE	THICKNESS	DESCRIPTION	MINIMUMS
NK32	.031"	.031" fire retardant	5 sheet minimum unless in stock
NK51	.049"	.049" fire retardant	5 sheet minimum unless in stock
NKB0	.031"	.031" fire retardant backer	5 sheet minimum unless in stock
NKB8	.049"	.049" fire retardant backer	5 sheet minimum unless in stock
NKD7	.750"	.750" fire retardant	1 sheet minimum unless in stock

Size Options: 36", 48", 60" widths x 96", 120", 144" lengths. Other sizes on a made-to-order basis.

Finish Options: All finish options available in Standard HPL. Upcharges may apply.

Pattern Availability: Available in all solid colors, patterns, and woodgrains on a made-to-order basis.

Fire Rated ThickLam is available in brown core only.

Marker Board

Marker Board provides a nonabsorbent, dry erase-compatible surface suitable for a variety of applications for boardrooms, schools, clinics and hospitals, offices, conference rooms, individual workstations, team-based work spaces, and any other location where dry erase characteristics are desired.

CODE	THICKNESS	DESCRIPTION	MINIMUMS
MB2	.028"	.028" Marker Board	5 sheet minimum unless in stock
MB1	.048"	.048" Marker Board	5 sheet minimum unless in stock

Size Options: Marker Board 36", 48", 60" widths x 96", 120", 144" lengths. Other sizes on a made-to-order basis.

Finish Options: Gloss (GL). All Markerboard carries peelcoat.

Pattern Availability: Standard colors are S7024 Chalk White, S7027 Smoky White, and S6053 Jett Black.

Available in most solid colors, patterns, woodgrains, custom digital, and screen print on a made-to-order basis.

Sample is recommended.

Hi-Wear

Hi-Wear laminate is manufactured for application to interior horizontal and vertical surfaces where decorative surfaces require added wear resistance due to scuffing and abrasion. The product offers over five times the wear resistance of standard grade laminate.

CODE	THICKNESS	DESCRIPTION	MINIMUMS
NI28	.028"	.028" Hi-Wear Overlay	5 sheet minimum
NI29	.028"	.028" Black Core Hi-Wear Overlay	5 sheet minimum
NI48	.048"	.048" Hi-Wear Overlay	5 sheet minimum
NI49	.048"	.048" Black Core Hi-Wear Overlay	5 sheet minimum

Size Options: 36", 48", 60" widths x 96", 120", 144" lengths. Other sizes on a made-to-order basis.

Finish Options: Suede (SD) and Natural Wood (NW)

Pattern Availability: Available in all solid colors, patterns, and woodgrains on a made-to-order basis. Due to its unique composition, Nevamar Hi-Wear laminate will vary in color from corresponding colors of standard HPL. This effect is more pronounced in darker colors and patterns. **Sample evaluation is required.**

Cross Grain

Cross graining requires that the decorative layers be turned 90 degrees to run the width of the panel. These are available on a make-to-order basis only. **This product cannot be postformed.**

CODE	THICKNESS	DESCRIPTION	MINIMUMS
J28	.028"	.028" Black Core Cross Grain	25 sht minimum
J29	.028"	.028" Cross Grain	25 sht minimum
J48	.048"	.048" Cross Grain	25 sht minimum
J49	.048"	.048" Black Core Cross Grain	25 sht minimum

Size Options: 36", 48", 60" widths x 96", 120", 144" lengths. Other sizes on a made-to-order basis.

Finish Options: ARP (T), Crystal (CR), Gloss (GL), Medium Gloss (MG), Polished Velvet (PV), Super Matte (SM), Velvet (VE), Textured / Suede (SD)

Pattern Availability: Available in most patterns and woodgrains on a made-to-order basis. Silverline Hautelink HLT004, Blossom Cherry WC5581, Straightaway Oak WO0040, Serene Stardom VA5001 are NOT available as cross grain.

Sample evaluation is required. 4 week lead time once sample is approved.

Inspira™ Digital

Inspira Digital Laminates allow any image to be produced in a laminate sheet. Choose from our digital library or design your own custom artwork which can include photographs, unique patterns, logos, or any other graphic wanted to make a space truly unique.

This product cannot be postformed.

CODE	THICKNESS	DESCRIPTION	MINIMUMS*
J28	.028"	.028" Black Core Digital	1 sht minimum
J29	.028"	.028" Digital	1 sht minimum
J48	.048"	.048" Digital	1 sht minimum
J49	.048"	.048" Black Core Digital	1 sht minimum

Size Options: 36", 48", 60" widths x 96", 120", 144" lengths. Other sizes on a made-to-order basis. Not available in 30" width.

Finish Options: Finish availability is dictated by the substrate on which the graphic is used (ie, HPL, FRL®, ThickLam™, etc.)

Digital Artwork Requirements

- Requires use of white or light colored backgrounds.
- NOT intended for solid colors.
- All artwork must be supplied by the customer.
- Files should be set up for printing as full sheets at full size.
- Vector Graphics should be sent in one of the following formats: Adobe Illustrator (.ai), Adobe PDF, or Encapsulated Post Script (.eps)
- Bitmap files / Raster Images (photos) should be sent in one of the following formats: Photoshop (.psd), .tiff, or .jpeg.
- Resolution should be as high as practical. 200+ DPI at full size is usually sufficient.
- A 12" x 12" sample will be provided for approval before full size production begins.

Other parameters may apply. Please contact your Nevamar representative for more information.

Flawless™ Collection

Fingerprint, smudge and scratch resistant with an ultra-matte finish. With the technology infused into the laminate and not a top layer. Not available in FRL. **This product cannot be postformed.**

CODE	THICKNESS	DESCRIPTION	MINIMUMS
PK37	.037"	Flawless 4 x 8	1 sheet minimum
PK37	.037"	Flawless 4 x 10	10 sheet minimum

Size Options: 4x8' (stocked) and 4x10' (made to order)

Finish Options: Flawless (ST)

Pattern Availability:

SB0350	Sapphire Blue
SE1150	Black Diamond
SG2630	Gray Hematite
ST6580	Mystic Moonstone
SW8900	White Diamond

Other color offerings in ST finish are available but would require larger minimums and longer lead times.

Cabinet Liner

Cabinet Liner provides a durable and attractive surface to the inside of cabinets and drawers. Cabinet Liner also imparts dimensional stability to substrate that is faced with high pressure decorative laminate. It provides the fabricated piece with balance and protection from the effects of humidity in their normal use.

CODE	THICKNESS	DESCRIPTION	MINIMUMS
NC20	.020"	.020" Cabinet Liner	40 sheet minimum; order increments of 40 sheets
NC21	.020"	.020" Cabinet Liner black print/black core	40 sheet minimum; order increments of 40 sheets

Size Options: 30" x 144" (must be ordered in quantities of 2), 48", 60" widths x 96", 120", 144" lengths.

Other sizes on a made-to-order basis.

Finish Options: Matte (MT)

Pattern Availability: Available in all solid colors, patterns, and woodgrains on a made-to-order basis.

Backer

CODE	THICKNESS	DESCRIPTION	MINIMUMS
NB20	.020"	.020" Backer	250 sheet minimum unless in stock
NB28	.028"	.028" Backer	250 sheet minimum unless in stock
NB37	.037"	.037" Backer	250 sheet minimum unless in stock
NB48	.048"	.048" Backer	250 sheet minimum unless in stock
NKB0	.031"	.031" Fire Rated Backer	5 sheet minimum unless in stock
NKB8	.049"	.049" Fire Rated Backer	5 sheet minimum unless in stock

Size Options: 30" x 96", 120", 144" (must be ordered in quantities of 2), 36", 48", 60" widths x 96", 120", 144" lengths.



2 Corporate Dr., Suite 946, Shelton, CT 06484
877.726.6526 panolam.com